Version 2.19

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

| Trade name | : | SANDER ABRASIVE PASTE |
|--------------|---|-----------------------|
| Product code | : | L0000915 |

1.2 Relevant identified uses of the substance or mixture and uses advised against

| Use of the Substance/Mixture | : | Paints, varnishes and enamels |
|---------------------------------|---|------------------------------------|
| Chemical nature | : | Polishing rubbing (sander) product |

1.3 Details of the supplier of the safety data sheet

| Company | : Lechler SpA |
|----------------------------|---------------------|
| | Via Cecilio 17 |
| | 22100 Como- CO- |
| Telephone | : +39031586111 |
| Telefax | : +39031586206 |
| E-mail address | : safety@lechler.eu |
| Responsible/issuing person | |

1.4 Emergency telephone number

Tel. +39-031-586301 - This telephone number is available during office hours only. (8.00-18.00)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.3 Other hazards

None known. The information required is contained in this Material Safety Data Sheet.

Version 2.19

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Water pigmented dispersion

Hazardous components

| Chemical name | CAS-No. EC-No. | Classification (REGULATION (EC) No | Concentration [%] |
|------------------------|--|---------------------------------------|----------------------|
| | Registration number | 1272/2008) | [· · ·] |
| Substances with a work | place exposure limit : | | |
| aluminium oxide | 1344-28-1 215-691-6 01-2119529248-35 | | >= 30 - < 50 |

SECTION 4: First aid measures

4.1 Description of first aid measures

| General advice | When symptoms persist or in all cases of doubt seek medical advice. Never give anything by mouth to an unconscious person. |
|-------------------------|---|
| If inhaled | Remove to fresh air. Keep patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration. If unconscious, place in recovery position and seek medical advice. |
| In case of skin contact | Take off all contaminated clothing immediately. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners. Put shower on working place |
| In case of eye contact | Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. Seek medical advice. Put eye-washer on working place Remove contact lenses. |
| If swallowed | If accidentally swallowed obtain immediate medical attention. Do NOT induce vomiting. Keep at rest. |

4.2 Most important symptoms and effects, both acute and delayed

| Symptoms | : No information available. |
|----------|-----------------------------|
| Risks | : No information available. |

4.3 Indication of any immediate medical attention and special treatment needed

| Version 2.19 | Revision Date 13.07.2020 | Print Date 13.07.2020 |
|--------------|---|-----------------------|
| Treatment | : The first aid procedure should be es with the doctor responsible for indus Seek medical advice. | |

SECTION 5: Firefighting measures

5.1 Extinguishing media

| Suitable extinguishing media | Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Keep containers and surroundings cool with water spray. |
|--------------------------------|---|
| Unsuitable extinguishing media | : Do NOT use water jet. |

5.2 Special hazards arising from the substance or mixture

| Specific hazards during firefighting | As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10). Exposure to decomposition products may be a hazard to health. Cool closed containers exposed to fire with water spray. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |
|--------------------------------------|---|
| | |

5.3 Advice for firefighters

| Special protective equipment | : | Wear self-contained breathing apparatus for firefighting if |
|------------------------------|---|---|
| for firefighters | | necessary. |

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

| Personal precautions | Use personal protective equipment. Ventilate the area. Refer to protective measures listed in sections 7 and 8. Material can create slippery conditions. |
|-------------------------------|---|
| 6.2 Environmental precautions | |
| Environmental precautions | Try to prevent the material from entering drains or water courses. If the product contaminates rivers and lakes or drains inform respective authorities. |

6.3 Methods and materials for containment and cleaning up

| Methods for cleaning up | : Clean with detergents. Avoid solvents. |
|-------------------------|--|
| | Contain spillage, and then collect with non-combustible |
| | absorbent material, (e.g. sand, earth, diatomaceous earth, |

Version 2.19

Revision Date 13.07.2020

vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

Refer to section 15 for specific national regulation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

| Advice on safe handling | : Avoid exceeding the given occupational exposure limits (see section 8). |
|-------------------------|--|
| | Use only in area provided with appropriate exhaust ventilation. Avoid contact with skin, eyes and clothing. |
| | Smoking, eating and drinking should be prohibited in the |
| | application area. |
| | Avoid inhalation of vapour or mist. |
| | For personal protection see section 8. |
| | Thoroughly mix before using |
| | After using, store in a well-sealed container |

7.2 Conditions for safe storage, including any incompatibilities

| Requirements for storage areas and containers | : | Observe label precautions. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Store between 5° an 35°C in a dry, well ventilated place away from source of heat, ignition and direct sunlight. No smoking. Electrical installations / working materials must comply with the technological safety standards. |
|---|---|---|
| Advice on common storage | : | Keep away from oxidizing agents and strongly acid or alkaline materials. |
| German storage class | : | 10 Combustible liquids |
| Specific end use(s) | | |
| | : | This information is not available. |

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

7.3

| Components | C | AS-No. | Value | Control parameters | Update | Basis |
|------------|----|-----------|-------|--------------------|------------|-------|
| aluminium | 13 | 344-28-1 | TWA | | 2013-03-01 | ACGIH |
| oxide | | | | 1 mg/m3 | | |
| Further | : | Aluminium | | | | |

Version 2.19

Revision Date 13.07.2020

| information | |
|-------------------------------|--|
| DNEL | |
| aluminium oxide | End Use: Industrial use Exposure routes: Inhalation Potential health effects: Long-term local effects Value: 15,63 mg/m3 |
| | End Use: Consumers Exposure routes: Oral Potential health effects: Long-term systemic effects Value: 3,29 mg/kg |
| PNEC aluminium oxide | : Sewage treatment plant |
| Exposure controls | Value: 20 mg/l |
| Exposure controls | |
| Personal protective equipment | |
| Respiratory protection | Apply technical measures to comply with the occupational exposure limits. This should be achieved by a good general extraction and -in practically feasible- by the use of a local exhaust ventilation. If the occupational exposure limits cannot be met, in exceptional cases suitable respiratory equipment should be worn only for a short period of time. Respirator with combination filter for vapour/particulate (EN 141) |
| Hand protection | Latex gloves For prolonged or repeated contact use protective gloves. Protective gloves complying with EN 374. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. Barrier creams may help to protect the exposed areas of skit they should however not be applied once exposure has occurred. Skin should be washed after contact. Wash your hands and put on barrier creams |
| Eye protection | : Chemical resistant goggles must be worn. Ensure that eyewash stations and safety showers are close the workstation location. |

| Version 2.19 | Revision Date 13.07.2020 | Print Date 13.07.2020 |
|----------------------------|---|-----------------------|
| Skin and body protection | : Skin should be washed after contact. Wear suitable protective clothing. | |
| Environmental exposure con | trols | |
| General advice | Try to prevent the material from enterin courses. If the product contaminates rivers and respective authorities. | - |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Appearance | : | liquid |
|--|---|------------------------|
| Odour | : | solvent-like |
| Flash point | : | > 63 - 100 °C |
| Ignition temperature | : | not determined |
| Lower explosion limit | : | No data available |
| Upper explosion limit | : | No data available |
| Auto-ignition temperature | : | Not applicable |
| рН | : | not determined |
| Freezing point | : | Not applicable |
| Boiling point | : | not determined |
| Vapour pressure | : | 1,000 hPa at 50 °C |
| Density | : | 1,44 g/cm3 |
| Water solubility | : | not determined |
| Partition coefficient: n- octanol/water | : | No data available |
| Solubility in other solvents | : | not determined |
| Relative vapour density | : | Not applicable |
| Evaporation rate | : | not determined |
| 9.2 Other information | | |
| 9.2 Other Information | | |

Solids by weight : 39 %

Print Date 13.07.2020

Water content : 61 %

SECTION 10: Stability and reactivity

10.1 Reactivity

Version 2.19

None reasonably foreseeable.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

| Hazardous reactions | : No dangerous reaction known under conditions of normal use. |
|---------------------|---|
|---------------------|---|

Revision Date 13.07.2020

10.4 Conditions to avoid

10.5 Incompatible materials

| Materials to avoid | : Keep away from oxidizing agents, strongly alkaline and |
|--------------------|---|
| | strongly acid materials in order to avoid exothermic reactions. |

10.6 Hazardous decomposition products

| Hazardous decomposition products | : Carbon dioxide (CO2), carbon monoxide (CO), oxides of nitrogen (NOx), dense black smoke. |
|-------------------------------------|--|
| Thermal decomposition | : Not applicable |

SECTION 11: Toxicological information

11.1 Information on toxicological effects

| Product | |
|-----------------------------|--|
| Acute inhalation toxicity : | Exposure to component solvent vapours concentration in excess of the stated occupational exposure limit may result in adverse health effects., Such as: mucous membrane irritation, respiratory system irritation, adverse effects on kidney, liver and central nervous system. Symptoms and signs: headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases loss of consciousness., Inhalation of airborne droplets may cause irritation of the respiratory tract. |
| Skin corrosion/irritation : | Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in desiccation of the skin., The product may be absorbed through the skin. |
| Further information : | The concentration of each substance should be borne in mind $\frac{1}{7}$ |

| Version 2.19 | Revision Date 13.07.2020 | Print Date 13.07.2020 |
|---|--|-----------------------|
| | in assessing the toxicological effects deriving preparation. | g from the |
| <u>Components:</u> aluminium oxide : Acute oral toxicity Acute inhalation toxicity | : LD50: > 2.000 mg/kg, Rat : LC50: 7,6 mg/l, 4 h, Rat, | |
| Acute initiation toxicity | . LC30. 7,0 mg/l, 4 m, Kat, | |
| SECTION 12: Ecological infor | mation | |
| 12.1 Toxicity | | |
| Toxicity to fish | : Remarks: No data is available on the product itself. | |
| Toxicity to fish aluminium oxide | : LC50: > 100 mg/l | |
| | Species: Salmo trutta (brown trout) | |
| 12.2 Persistence and degradability | | |
| Biodegradability | : No data available | |
| 12.3 Bioaccumulative potential Bioaccumulation | : No data available | |
| | | |

12.4 Mobility in soil

| Mobility | : No data available |
|----------|---------------------|
|----------|---------------------|

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

| Additional ecological | : | There is no data available for this product. |
|-----------------------|---|--|
| information | | |

SECTION 13: Disposal considerations

13.1 Waste treatment methods

| Product | : The product should not be allowed to enter drains, water |
|---------|---|
| | courses or the soil. |
| | Disposal together with normal waste is not allowed. Special |

| Version 2.19 | Revision Date 13.07.2020 | Print Date 13.07.2020 |
|------------------------|--|---|
| | disposal required according to local r | egulations. |
| Contaminated packaging | : Empty containers should be taken to handling site for recycling or disposal According to the European Waste Ca are not product specific, but applicati The Waste code should be assigned the user, the producer and the waste The following Waste Codes are only | I. atalogue, Waste Codes on specific. in discussion between disposal company. |

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 Proper shipping name

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Version 2.19

Revision Date 13.07.2020

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

| | 8 8 I | |
|---|--|---------|
| REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). | Not applicable | |
| REACH - List of substances subject to authorisation (Annex XIV) | Not applicable | |
| REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) | Not applicable | |
| Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals | Not applicable | |
| MAL-Code-Number | 00-3 (1993) 3-m3 air/10 g | |
| Storage class (TRGS 510) | 10: Combustible liquids | |
| Risk classification according to VbF | Flash Point > 55 °C up to 100 °C, at 15 °C not miscibl water | le with |
| Water contaminating class (Germany) | not water endangering Ordinance on facilities for handling substances that ar hazardous to water (AwSV) Classification according to AwSV, Annex 1 (2.2) | e |

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006. Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures

15.2 Chemical safety assessment

No data is available on the product itself.

Version 2.19

SECTION 16: Other information

List of references

Regulation of the European Parliament and Council Regulation (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures (CLP)

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (Official Journal of the European Union L 396 from 30.12.2006, as amended). Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

Key or legend to abbreviations and acronyms used in the safety data sheet

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials: bw - Body weight: CLP - Classification Labelling Packaging Regulation: Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP -Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO -International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC -No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID -Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Version 2.19

Revision Date 13.07.2020

Print Date 13.07.2020