

## SAFETY DATA SHEET

### SPECIALTY ELECTRONIC MATERIALS UK **LIMITED**

Safety Data Sheet according to Regulation (EC) No 1907/2006 - Annex II

Product name: MOLYKOTE® P-3700 Antiseize Paste **Revision Date: 20.02.2023** 

Version: 4.0

**Date of last issue:** 08.11.2022

**Print Date: 10.04.2023** 

SPECIALTY ELECTRONIC MATERIALS UK LIMITED encourages and expects you to read and understand the entire (M)SDS, as there is important information throughout the document. We expect you to follow the precautions identified in this document unless your use conditions would necessitate other appropriate methods or actions.

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

#### 1.1 Product identifier

Product name: MOLYKOTE® P-3700 Antiseize Paste

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Lubricants and lubricant additives

### 1.3 Details of the supplier of the safety data sheet **COMPANY IDENTIFICATION**

SPECIALTY ELECTRONIC MATERIALS UK LIMITED KINGS COURT, LONDON ROAD **STEVENAGE** England SG1 2NG

UNITED KINGDOM

**Customer Information Number:** 00800-3876-6838

SDSQuestion-EU@dupont.com

### 1.4 EMERGENCY TELEPHONE NUMBER

24-Hour Emergency Contact: +(44)-870-8200418 **Local Emergency Contact:** +(44)-870-8200418

### SECTION 2: HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008:

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

### 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008:

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

#### Supplemental information

EUH210 Safety data sheet available on request.

The following percentage of the mixture consists of ingredient(s) with unknown acute dermal toxicity: 35.811 %

#### 2.3 Other hazards

Endocrine disrupting properties (human health):

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Endocrine disrupting properties (environment):

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### PBT and vPvB assessment:

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature: Lubricants and lubricant additives 3.2 Mixtures

This product is a mixture.

Classification according specific concentration limit/ Identification to Regulation (EU) % Component M-Factors/ number Acute toxicity estimate 1272/2008 (CLP) **CASRN** White mineral oil Asp. Tox. 1 - H304 Oral ATE: > 5,000 mg/kg >= 40.0 - < 50.0 % 8042-47-5 (petroleum) EC-No. Inhalation ATE: > 5 mg/l 232-455-8 (dust/mist) Index-No. Dermal ATE: > 2,000 mg/kg **REACH No** 01-2119487078-27

Substances with a workplace exposure limit

- Canadian Control of								
Identification		Classification according	specific concentration limit/					
	Component	to Regulation (EU)	M-Factors/	%				
number	-	1272/2008 (CLP)	Acute toxicity estimate					

Page 2 of 21

Revision Date: 20.02.2023 Version: 4.0

CASRN 7782-42-5 EC-No. 231-955-3 Index-No. - REACH No 01-2119486977-12	Graphite	Not classified	Oral ATE: > 2,000 mg/kg Inhalation ATE: > 2 mg/l (dust/mist)	>= 20.0 - < 30.0 %
CASRN 1314-23-4 EC-No. 215-227-2 Index-No. - REACH No 01-2119486976-14	Zirconium oxide	Not classified	Oral ATE: > 5,000 mg/kg Inhalation ATE: > 4.3 mg/l (dust/mist)	>= 1.0 - < 10.0 %
CASRN 7631-86-9 EC-No. 231-545-4 Index-No. - REACH No 01-2119379499-16	Silicon dioxide	Not classified	Oral ATE: > 3,300 mg/kg  Dermal ATE: > 5,000 mg/kg	>= 1.0 - < 10.0 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: FIRST AID MEASURES**

# 4.1 Description of first aid measures General advice:

First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to Section 8 for specific personal protective equipment.

**Inhalation:** Move person to fresh air; if effects occur, consult a physician.

**Skin contact:** Wash off with plenty of water.

**Eye contact:** Flush eyes thoroughly with water for several minutes. Remove contact lenses after the initial 1-2 minutes and continue flushing for several additional minutes. If effects occur, consult a physician, preferably an ophthalmologist.

**Ingestion:** If swallowed, seek medical attention. Do not induce vomiting unless directed to do so by medical personnel.

### 4.2 Most important symptoms and effects, both acute and delayed:

**Revision Date: 20.02.2023** Version: 4.0

Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician: No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

#### SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media

Suitable extinguishing media: Water spray Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical

Unsuitable extinguishing media: None known.

### 5.2 Special hazards arising from the substance or mixture

Hazardous combustion products: Carbon oxides Oxides of phosphorus Metal oxides Nitrogen oxides (NOx) Boron oxides Silicon oxides

Unusual Fire and Explosion Hazards: Exposure to combustion products may be a hazard to health.

### 5.3 Advice for firefighters

Fire Fighting Procedures: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area.

Special protective equipment for firefighters: Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures: Follow safe handling advice and personal protective equipment recommendations.
- 6.2 Environmental precautions: Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
- 6.3 Methods and materials for containment and cleaning up: Wipe up or scrape up and contain for salvage or disposal. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

#### 6.4 Reference to other sections:

See sections: 7, 8, 11, 12 and 13.

Page 4 of 21

Paste Revision Date: 20.02.2023 Version: 4.0

### **SECTION 7: HANDLING AND STORAGE**

**7.1 Precautions for safe handling:** Take care to prevent spills, waste and minimize release to the environment. Handle in accordance with good industrial hygiene and safety practice. Use only with adequate ventilation. See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

### Advice on general occupational hygiene

Handle in accordance with good industrial hygiene and safety practice. Use good personal hygiene. Do not consume or store food in the work area. Wash hands before smoking or eating.

**7.2 Conditions for safe storage, including any incompatibilities:** Keep in properly labelled containers. Store in accordance with the particular national regulations.

Do not store with the following product types: Strong oxidizing agents. Unsuitable materials for containers: None known.

**7.3 Specific end use(s):** Information on specific end use(s) of this product may be provided in a technical data sheet/annex to the SDS (if available).

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

If exposure limits exist, they are listed below. If no exposure limits are displayed, then no values are applicable.

Component	Regulation	Type of listing	Value				
White mineral oil (petroleum)	ACGIH	TWA Inhalable	5 mg/m3				
		particulate matter					
		: Upper Respiratory Tract irri	tation; A4: Not classifiable as				
_	a human carcinogen		-				
Graphite	ACGIH	TWA Respirable	2 mg/m3				
		particulate matter					
	Further information: pneum	oconiosis: Pneumoconiosis					
	GB EH40	TWA inhalable dust	10 mg/m3				
	GB EH40	TWA Respirable dust	4 mg/m3				
Zirconium oxide	ACGIH	TWA	5 mg/m3 , Zirconium				
	Further information: resp irr: Respiratory irritation; A4: Not classifiable as a human carcinogen						
	ACGIH	STEL	10 mg/m3 , Zirconium				
	Further information: resp irr carcinogen	: Respiratory irritation; A4: N	ot classifiable as a human				
	GB EH40	TWA	5 mg/m3 , Zirconium				
	GB EH40	STEL	10 mg/m3 , Zirconium				
Silicon dioxide	GB EH40	TWA inhalable dust	6 mg/m3 , Silica				
	Further information: 15: For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust; 44: The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed above these levels. Some dusts have						

**Revision Date: 20.02.2023** Version: 4.0

> been assigned specific WELs and exposure to these must comply with the appropriate limit.; 45: Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory system and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'.; 46: Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in MDHS14/3.; 47: Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with.; 2: Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used

> > GB EH40 | TWA Respirable dust 2.4 mg/m3, Silica

Further information: 15: For the purposes of these limits, respirable dust and inhalable dust are those fractions of airborne dust which will be collected when sampling is undertaken in accordance with the methods described in MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust; 44: The COSHH definition of a substance hazardous to health includes dust of any kind when present at a concentration in air equal to or greater than 10 mg.m-3 8-hour TWA of inhalable dust or 4 mg.m-3 8-hour TWA of respirable dust. This means that any dust will be subject to COSHH if people are exposed above these levels. Some dusts have been assigned specific WELs and exposure to these must comply with the appropriate limit.; 45: Most industrial dusts contain particles of a wide range of sizes. The behaviour, deposition and fate of any particular particle after entry into the human respiratory system and the body response that it elicits, depend on the nature and size of the particle. HSE distinguishes two size fractions for limit-setting purposes termed 'inhalable' and 'respirable'.; 46: Inhalable dust approximates to the fraction of airborne material that enters the nose and mouth during breathing and is therefore available for deposition in the respiratory tract. Respirable dust approximates to the fraction that penetrates to the gas exchange region of the lung. Fuller definitions and explanatory material are given in MDHS14/3.; 47: Where dusts contain components that have their own assigned WEL, all the relevant limits should be complied with.; 2: Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used

#### **Derived No Effect Level**

Graphite

### Workers

11011010								
Acute systemic effects		Acute lo	al effects	Long-term systemic effects		Long-term local effects		
Dermal	Inhalation	Dermal	Inhalation	Dermal	Inhalation	Dermal	Inhalation	
n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	1.2 mg/m3	

### **Consumers**

Acute systemic effects			Acute lo	cal effects	Long-te	rm systemi	c effects	•	rm local ects
Dermal	Inhalation	Oral	Dermal	Inhalation	Dermal	Inhalation	Oral	Dermal	Inhalation
n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	813 mg/kg bw/day	n.a.	0.3 mg/m3

### Silicon dioxide

#### Workers

Acute systemic effects		Acute loc	cal effects	Long-tern	n systemic	Long-term	local effects
				effe	ects	,	
Dermal	Inhalation	Dermal	Inhalation	Dermal	Inhalation	Dermal	Inhalation
n.a.	n.a.	n.a.	n.a.	n.a.	4 mg/m3	n.a.	n.a.

Revision Date: 20.02.2023 Version: 4.0

#### **Consumers**

Acute systemic effects		Acute loc	al effects	Long-te	rm systemi	c effects		rm local ects	
Dermal	Inhalation	Oral	Dermal	Inhalation	Dermal	Inhalation	Oral	Dermal	Inhalation
n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.	n.a.

#### 8.2 Exposure controls

**Engineering controls:** Use local exhaust ventilation, or other engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations.

### Individual protection measures

**Eye/face protection:** Use safety glasses (with side shields). Safety glasses (with side shields) should be consistent with EN 166 or equivalent.

#### Skin protection

**Hand protection:** Use chemical resistant gloves classified under Standard EN374: Protective gloves against chemicals and micro-organisms. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

**Other protection:** Use protective clothing chemically resistant to this material. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task.

**Respiratory protection:** Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process.

#### **Environmental exposure controls**

See SECTION 7: Handling and storage and SECTION 13: Disposal considerations for measures to prevent excessive environmental exposure during use and waste disposal.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

#### 9.1 Information on basic physical and chemical properties

Physical state solid

Form paste

Colour dark grey

**Odour** none

Melting point/freezing point No data available

Boiling point or initial boiling No data available

Page 7 of 21

Product name: MOLYKOTE® P-3700 Antiseize Paste Revision Date: 20.02.2023

Version: 4.0

point and boiling range

Flammability Gases/Solids

Not expected to form explosive dust-air mixtures.

Gases/Solids

Not classified as a flammability hazard

Liquids

No data available

Lower explosion limit and upper explosion limit / flammability limit

No data available

Flash point No data available

Auto-ignition temperature No data available

**Decomposition temperature** No data available

**pH** No data available

Viscosity, kinematic

No data available

Solubility(ies) Water solubility

No data available

Partition coefficient: n-

octanol/water

No data available

Vapour pressure No data available

Density and / or relative

density

Relative density

1.23

Relative vapour density

No data available

Particle characteristics No data available

9.2 Other information

Oxidizing properties The substance or mixture is not classified as oxidizing.

Substances and mixtures, which in contact with water, emit flammable gases

The substance or mixture does not emit flammable gases

in contact with water.

Volor

Organic peroxides The substance or mixture is not classified as organic

peroxide.

NOTE: The physical data presented above are typical values and should not be construed as a specification.

### **SECTION 10: STABILITY AND REACTIVITY**

10.1 Reactivity: Not classified as a reactivity hazard.

10.2 Chemical stability: Stable under normal conditions.

10.3 Possibility of hazardous reactions: Can react with strong oxidizing agents.

10.4 Conditions to avoid: None known.

10.5 Incompatible materials: Oxidizing agents

10.6 Hazardous decomposition products: 1-Butene.

#### SECTION 11: TOXICOLOGICAL INFORMATION

Toxicological information appears in this section when such data is available.

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### **Acute toxicity**

### Acute toxicity (Acute oral toxicity)

Not classified

Not classified due to lack of data. / Not classified due to data which are conclusive although insufficient for classification.

Product test data not available. Refer to component data.

### Acute toxicity (Acute dermal toxicity)

Not classified

Not classified due to lack of data. / Not classified due to data which are conclusive although insufficient for classification.

Product test data not available. Refer to component data.

#### Acute toxicity (Acute inhalation toxicity)

Not classified

Not classified due to lack of data. / Not classified due to data which are conclusive although insufficient for classification.

Product test data not available. Refer to component data.

Product name: MOLYKOTE® P-3700 Antiseize Paste **Revision Date: 20.02.2023** 

Version: 4.0

### Skin corrosion/irritation

Not classified

Not classified due to lack of data. / Not classified due to data which are conclusive although insufficient for classification.

Product test data not available. Refer to component data.

### Serious eye damage/eye irritation

Not classified

Not classified due to lack of data. / Not classified due to data which are conclusive although insufficient for classification.

Product test data not available. Refer to component data.

### Respiratory or skin sensitisation

Not classified

Not classified due to lack of data. / Not classified due to data which are conclusive although insufficient for classification.

Product test data not available. Refer to component data.

#### Germ cell mutagenicity

Not classified

Not classified due to lack of data. / Not classified due to data which are conclusive although insufficient for classification.

Product test data not available. Refer to component data.

### Carcinogenicity

Not classified

Not classified due to lack of data. / Not classified due to data which are conclusive although insufficient for classification.

Product test data not available. Refer to component data.

### Reproductive toxicity

Not classified

Not classified due to lack of data. / Not classified due to data which are conclusive although insufficient for classification.

Toxicity to reproduction assessment:

Product test data not available. Refer to component data.

Assessment Teratogenicity:

Product test data not available. Refer to component data.

### STOT - single exposure

Not classified

Not classified due to lack of data. / Not classified due to data which are conclusive although insufficient for classification.

Product test data not available. Refer to component data.

Product name: MOLYKOTE® P-3700 Antiseize Paste **Revision Date: 20.02.2023** 

Version: 4.0

### STOT - repeated exposure

Not classified

Not classified due to lack of data. / Not classified due to data which are conclusive although insufficient for classification.

Product test data not available. Refer to component data.

### **Aspiration Hazard**

Not classified

Not classified due to lack of data. / Not classified due to data which are conclusive although insufficient for classification.

Product test data not available. Refer to component data.

#### COMPONENTS INFLUENCING TOXICOLOGY:

### White mineral oil (petroleum)

### Acute toxicity (Acute oral toxicity)

LD50, Rat, > 5,000 mg/kg OECD Test Guideline 401

### Acute toxicity (Acute dermal toxicity)

LD50, Rabbit, > 2,000 mg/kg OECD Test Guideline 402 No deaths occurred at this concentration.

### Acute toxicity (Acute inhalation toxicity)

Mist may cause severe irritation of the upper respiratory tract (nose and throat) and lungs. Vapors are unlikely due to physical properties. Excessive exposure to mineral oil mist may cause lung injury (lipoid pneumonia). Excessive exposure may cause: Incoordination.

LC50, Rat, male and female, 4 Hour, dust/mist, > 5 mg/l OECD Test Guideline 403

### Skin corrosion/irritation

Prolonged contact is essentially nonirritating to skin.

Repeated contact may cause skin irritation with local redness.

### Serious eye damage/eye irritation

May cause slight eve irritation.

May cause slight temporary corneal injury.

### Respiratory or skin sensitisation

Did not cause allergic skin reactions when tested in guinea pigs.

For respiratory sensitization:

No relevant data found.

### Germ cell mutagenicity

In vitro genetic toxicity studies were negative.

#### Carcinogenicity

Did not cause cancer in laboratory animals.

Page 11 of 21

**Revision Date: 20.02.2023** Version: 4.0

#### Reproductive toxicity

Toxicity to reproduction assessment:

In animal studies, did not interfere with reproduction.

Assessment Teratogenicity:

Did not cause birth defects in laboratory animals.

#### STOT - single exposure

Available data are inadequate to determine single exposure specific target organ toxicity.

#### STOT - repeated exposure

Based on available data, repeated exposures are not anticipated to cause additional significant adverse effects.

### **Aspiration Hazard**

May be fatal if swallowed and enters airways.

#### Graphite

### Acute toxicity (Acute oral toxicity)

LD50, Rat, > 2,000 mg/kg OECD Test Guideline 423

### Acute toxicity (Acute dermal toxicity)

The dermal LD50 has not been determined.

### Acute toxicity (Acute inhalation toxicity)

An LC50/inhalation/4h/rat could not be determined because no mortality of rats was observed at the maximum achievable concentration. LC50, Rat, 4 Hour, dust/mist, > 2 mg/l OECD Test Guideline 403

#### Skin corrosion/irritation

Brief contact is essentially nonirritating to skin.

### Serious eye damage/eye irritation

May cause slight temporary eye irritation.

### Respiratory or skin sensitisation

Did not demonstrate the potential for contact allergy in mice.

### Germ cell mutagenicity

In vitro genetic toxicity studies were negative.

### Reproductive toxicity

Toxicity to reproduction assessment:

In animal studies, did not interfere with reproduction.

### Assessment Teratogenicity:

Did not cause birth defects or any other fetal effects in laboratory animals.

### STOT - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Page 12 of 21

**Revision Date: 20.02.2023** Version: 4.0

#### STOT - repeated exposure

Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

### **Aspiration Hazard**

No aspiration toxicity classification

### Zirconium oxide

### Acute toxicity (Acute oral toxicity)

LD50, Rat, female, > 5,000 mg/kg

### Acute toxicity (Acute dermal toxicity)

The dermal LD50 has not been determined.

### Acute toxicity (Acute inhalation toxicity)

LC50, Rat, male and female, 4 Hour, dust/mist, > 4.3 mg/l The LC50 value is greater than the Maximum Attainable Concentration.

#### Skin corrosion/irritation

Brief contact is essentially nonirritating to skin.

Prolonged contact may cause skin irritation with local redness.

### Serious eye damage/eye irritation

May cause slight eye irritation.

May cause slight corneal injury.

### Respiratory or skin sensitisation

Did not cause allergic skin reactions when tested in guinea pigs.

For respiratory sensitization:

No relevant data found.

#### Germ cell mutagenicity

In vitro genetic toxicity studies were negative.

#### Carcinogenicity

No relevant data found.

#### Reproductive toxicity

Toxicity to reproduction assessment:

No relevant data found.

Assessment Teratogenicity:

No relevant data found.

### STOT - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

### STOT - repeated exposure

Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

### **Aspiration Hazard**

**Revision Date: 20.02.2023** Version: 4.0

Based on available information, aspiration hazard could not be determined.

### Silicon dioxide

### Acute toxicity (Acute oral toxicity)

LD50, Rat, > 3,300 mg/kg No deaths occurred at this concentration.

### Acute toxicity (Acute dermal toxicity)

LD50, Rabbit, > 5,000 mg/kg

#### Skin corrosion/irritation

Brief contact may cause slight skin irritation with local redness.

### Serious eye damage/eye irritation

May cause slight eye irritation.

### Respiratory or skin sensitisation

Did not cause allergic skin reactions when tested in guinea pigs.

For respiratory sensitization:

No relevant data found.

### Germ cell mutagenicity

In vitro genetic toxicity studies were negative. Animal genetic toxicity studies were negative.

### Carcinogenicity

No relevant data found.

#### Reproductive toxicity

Toxicity to reproduction assessment:

No relevant data found.

Assessment Teratogenicity:

No relevant data found.

### STOT - single exposure

Available data are inadequate to determine single exposure specific target organ toxicity.

### STOT - repeated exposure

No relevant data found.

#### **Aspiration Hazard**

Based on physical properties, not likely to be an aspiration hazard.

#### 11.2. Information on other hazards

### **Endocrine disrupting properties**

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **Further information**

**Revision Date: 20.02.2023** Version: 4.0

No data available

### **SECTION 12: ECOLOGICAL INFORMATION**

Ecotoxicological information appears in this section when such data is available.

#### 12.1 Toxicity

### White mineral oil (petroleum)

#### Acute toxicity to fish

Material is not classified as dangerous to aquatic organisms (LC50/EC50/IC50/LL50/EL50 greater than 100 mg/L in most sensitive species).

LC50, Lepomis macrochirus (Bluegill sunfish), static test, 96 Hour, > 10,000 mg/l

LL50, Oncorhynchus mykiss (rainbow trout), static test, 96 Hour, > 100 mg/l, OECD Test Guideline 203

LL50, Leuciscus idus (Golden orfe), static test, 96 Hour, > 10,000 mg/l, OECD Test Guideline 203

### Acute toxicity to aquatic invertebrates

LL50, Daphnia magna (Water flea), static test, 48 Hour, > 100 mg/l, OECD Test Guideline 202

### **Graphite**

### Acute toxicity to fish

No toxicity at the limit of solubility

LC50, Danio rerio (zebra fish), 96 Hour, > 100 mg/l, OECD Test Guideline 203

#### Acute toxicity to aquatic invertebrates

No toxicity at the limit of solubility

EC50, Daphnia magna (Water flea), 48 Hour, > 100 mg/l, OECD Test Guideline 202

#### Acute toxicity to algae/aquatic plants

EC50, Raphidocelis subcapitata (freshwater green alga), 72 Hour, > 100 mg/l, OECD Test Guideline 201

NOEC, Raphidocelis subcapitata (freshwater green alga), 72 Hour, >= 100 mg/l, OECD Test Guideline 201

### Toxicity to bacteria

EC50, 3 Hour, > 1,012.5 mg/l, OECD Test Guideline 209

### **Zirconium oxide**

#### Acute toxicity to fish

Material is not classified as dangerous to aquatic organisms (LC50/EC50/IC50/LL50/EL50 greater than 100 mg/L in most sensitive species).

LL50, Fish, static test, 96 Hour, > 100 mg/l, OECD Test Guideline 203

#### Acute toxicity to aquatic invertebrates

EC50, Daphnia (water flea), static test, 48 Hour, > 100 mg/l

#### Acute toxicity to algae/aguatic plants

EC50, Algae (Scenedesmus subspicatus), static test, 72 Hour, Growth inhibition, > 100 mg/l, OECD Test Guideline 201

### Toxicity to bacteria

No data available

### Silicon dioxide

### Acute toxicity to fish

Material is not classified as dangerous to aquatic organisms (LC50/EC50/IC50/LL50/EL50 greater than 100 mg/L in most sensitive species).

LC50, Danio rerio (zebra fish), 96 Hour, > 10,000 mg/l, OECD Test Guideline 203

#### Acute toxicity to aquatic invertebrates

EC50, Daphnia magna (Water flea), 48 Hour, > 1,000 mg/l, OECD Test Guideline 202

### 12.2 Persistence and degradability

### White mineral oil (petroleum)

**Biodegradability:** Based on stringent OECD test guidelines, this material cannot be considered as readily biodegradable; however, these results do not necessarily mean that the material is not biodegradable under environmental conditions. Material is inherently biodegradable (reaches > 20% biodegradation in OECD test(s) for inherent biodegradability). 10-day Window: Fail

Biodegradation: 0 - 24 % Exposure time: 28 d

Method: OECD Test Guideline 301B or Equivalent

#### Graphite

Biodegradability: Not applicable

#### **Zirconium oxide**

Biodegradability: No relevant data found.

#### Silicon dioxide

**Biodegradability:** Biodegradability is not applicable to inorganic substances.

### 12.3 Bioaccumulative potential

#### White mineral oil (petroleum)

**Bioaccumulation:** Bioconcentration potential is high (BCF > 3000 or Log Pow between 5 and

Partition coefficient: n-octanol/water(log Pow): 5.18 Measured

Bioconcentration factor (BCF): 1,900 Fish

### **Graphite**

Bioaccumulation: Not applicable Not applicable

#### <u>Zirconium oxide</u>

**Bioaccumulation:** Partitioning from water to n-octanol is not applicable.

### Silicon dioxide

Page 16 of 21

**Bioaccumulation:** Bioconcentration potential is low (BCF < 100 or Log Pow < 3).

Partition coefficient: n-octanol/water(log Pow): 0.53

**Bioconcentration factor (BCF): 3.16** 

### 12.4 Mobility in soil

#### White mineral oil (petroleum)

Potential for mobility in soil is low (Koc between 500 and 2000). **Partition coefficient (Koc):** 510 Estimated.

### Graphite

No relevant data found.

#### Zirconium oxide

No relevant data found.

#### Silicon dioxide

Potential for mobility in soil is very high (Koc between 0 and 50).

Partition coefficient (Koc): 21.73

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### White mineral oil (petroleum)

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

### Graphite

This substance is not considered to be persistent, bioaccumulating and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulating (vPvB).

#### Zirconium oxide

This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

#### Silicon dioxide

This substance has not been assessed for persistence, bioaccumulation and toxicity (PBT).

### 12.6 Endocrine disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

### White mineral oil (petroleum)

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

### **Graphite**

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

Page 17 of 21

#### **Zirconium oxide**

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

### Silicon dioxide

This substance is not on the Montreal Protocol list of substances that deplete the ozone layer.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

Do not dump into any sewers, on the ground, or into any body of water. This product, when being disposed of in its unused and uncontaminated state should be treated as a hazardous waste according to EC Directive 2008/98/EC. Any disposal practices must be in compliance with all national and provincial laws and any municipal or local by-laws governing hazardous waste. For used, contaminated and residual materials additional evaluations may be required.

The definitive assignment of this material to the appropriate EWC group and thus its proper EWC code will depend on the use that is made of this material. Contact the authorized waste disposal services.

### **SECTION 14: TRANSPORT INFORMATION**

### Classification for ROAD and Rail transport (ADR/RID):

**14.1 UN number or ID number** Not applicable

**14.2 UN proper shipping name** Not regulated for transport

14.3 Transport hazard class(es) Not applicable14.4 Packing group Not applicable

**14.5** Environmental hazards Not considered environmentally hazardous based on

available data.

**14.6** Special precautions for user No data available.

#### Classification for SEA transport (IMO-IMDG):

**14.1 UN number or ID number** Not applicable

**14.2 UN proper shipping name** Not regulated for transport

14.3 Transport hazard class(es) Not applicable14.4 Packing group Not applicable

**14.5 Environmental hazards** Not considered as marine pollutant based on available data.

**14.6** Special precautions for user No data available.

14.7 Maritime transport in bulk

according to IMO Consult IMO regulations before transporting ocean bulk

instruments

### Classification for AIR transport (IATA/ICAO):

14.1 UN number or ID number Not applicable

Product name: MOLYKOTE® P-3700 Antiseize Paste Revision Date: 20.02.2023

Version: 4.0

**14.2 UN proper shipping name** Not regulated for transport

14.3 Transport hazard class(es) Not applicable
14.4 Packing group Not applicable
14.5 Environmental hazards Not applicable
14.6 Special precautions for user No data available.

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

### **SECTION 15: REGULATORY INFORMATION**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### REACh Regulation (EC) No 1907/2006

This product contains only components that have been either registered, are exempt from registration, are regarded as registered or are not subject to registration according to Regulation (EC) No. 1907/2006 (REACH)., The aforementioned indications of the REACH registration status are provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. It is the buyer's/user's responsibility to ensure that his/her understanding of the regulatory status of this product is correct.

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Listed in Regulation: Not applicable

#### 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture.

#### **SECTION 16: OTHER INFORMATION**

### Full text of H-Statements referred to under sections 2 and 3.

H304 May be fatal if swallowed and enters airways.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) No 1272/2008

Page 19 of 21

**Revision Date: 20.02.2023** Version: 4.0

This product is not classified as dangerous according to EC criteria.

#### Revision

Identification Number: 12085252 / A670 / Issue Date: 20.02.2023 / Version: 4.0 Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

Legend

ACGIH	USA. ACGIH Threshold Limit Values (TLV)
GB EH40	UK. EH40 WEL - Workplace Exposure Limits
STEL	Short-term exposure limit (15-minute reference period)
TWA	Long-term exposure limit (8-hour TWA reference period)
Asp. Tox.	Aspiration hazard

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS -Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China: IMDG - International Maritime Dangerous Goods: IMO -International Maritime Organization: ISHL - Industrial Safety and Health Law (Japan): ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL -No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR -(Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA -Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

### **Information Source and References**

This SDS is prepared by Product Regulatory Services and Hazard Communications Groups from information supplied by internal references within our company.

SPECIALTY ELECTRONIC MATERIALS UK LIMITED urges each customer or recipient of this (M)SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this (M)SDS and any hazards associated with the product. The information herein is provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations. It is the buyer's/user's responsibility to ensure that his activities comply with all federal, state, provincial or local laws. The information presented here pertains only to the product as shipped. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Due to the proliferation of sources for information such as manufacturer-specific (M)SDSs, we are not and cannot be responsible for (M)SDSs obtained from any source other than ourselves. If you have obtained an (M)SDS from another source or if you are not sure that the (M)SDS you have is current, please contact us for the most current version.